

Technology EXTRUDED

The aluminum extrusion process makes it possible to obtain profiles of infinite, even complex shapes.

By varying the shape of the profile, changing the contact surface with the air and, consequently, the dissipation capacity.


By varying the shape of the profile, changing the contact surface with the air and, consequently, the dissipation capacity.

The extruded heat sinks are presented subdivided by shape (T, H, L, K, E, U, P), width and height, and organized in increasing order of size. MG follows mechanical processes following the customer's requests, guaranteeing reliability and quality of the finished product.



CODE

DE15_20



Kg/mt 0.25 Kg/mt

L 15 mm

H 20 mm


Rth,F 4.750 K/W

Rth,N 14.10 K/W

Alloy 6061

CODE

DE20_15



Kg/mt 0.24 Kg/mt

L 20 mm

H 5.590 K/W


Rth,F 16.60 K/W

Rth,N 15 mm

Alloy 6061

CODE

DE21.3_91.3



Kg/mt 1.898


L 21.3 mm

H 91.3 mm

Alloy 6061

CODE

DE28_32



Kg/mt 0.73 Kg/mt

L 28 mm

H 32 mm


Rth,F 2.650 K/W

Rth,N 7.80 K/W

Alloy 6061

CODE

DE29_12



Kg/mt 0.35 Kg/mt

L 29 mm

H 11.50 mm


Rth,F 3.850 K/W

Rth,N 11.50 K/W

Alloy 6061

CODE

DE30_28



Kg/mt 0.98 Kg/mt

L 30 mm


H 28 mm

Rth,F 2.889 K/W

Rth,N 9.30 K/W

Alloy 6061

CODE DE30_47




Kg/mt	1,3 Kg/mt
L	30 mm
H	47 mm
Rth,F	4.29 K/W
Rth,N	2.99 K/W
Lega	6060

CODE DE31.5_7.4




Kg/mt	5.068 Kg/mt
L	31.5 mm
H	7.4 mm
Alloy	6061

CODE DE31.7_50




Kg/mt	1.161 Kg/mt
L	31.7 mm
H	50 mm
Rth,F	1.86 K/W
Rth,N	5.6 K/W
Alloy	6061

CODE DE34.5_12




Kg/mt	0.43 Kg/mt
L	34.5 mm
H	12.50 mm
Rth,F	3.450 K/W
Rth,N	10.20 K/W
Alloy	6061

CODE DE34_60




Kg/mt	2.84 Kg/mt
L	34 mm
H	60 mm
Rth,F	1.170 K/W
Rth,N	3.50 K/W
Alloy	6061

CODE DE35_44




Kg/mt	2 Kg/mt
L	35 mm
H	44 mm
Rth,F	1.880 K/W
Rth,N	5.60 K/W
Alloy	6061

CODE DE38_20




Kg/mt	0.71 Kg/mt
L	38 mm
H	20 mm
Rth,F	3.250 K/W
Rth,N	9.50 K/W
Alloy	6061

CODE DE40_35




Kg/mt	1.73 Kg/mt
L	40 mm
H	35 mm
Rth,F	1.17 K/W
Rth,N	3.50 K/W
Alloy	6061

CODE DE40_60




Kg/mt	3.41 Kg/mt
L	40 mm
H	1.450 K/W
Rth,F	4.30 K/W
Rth,N	60 mm
Alloy	6061

CODE DE44_11




Kg/mt	0.56 Kg/mt
L	44 mm
H	11 mm
Rth,F	3.250 K/W
Rth,N	9.09 K/W
Alloy	6061

CODE DE45_14




Kg/mt	0.55 Kg/mt
L	45 mm
H	14 mm
Rth,F	3.210 K/W
Rth,N	9.70 K/W
Alloy	6061

CODE DE46-33




Kg/mt	2.077 Kg/mt
L	100 mm
Rth,F	0.87 K/W
Rth,N	2.58 K/W
H	33 mm

CODE DE46-33




Kg/mt	2.077 Kg/mt
L	100 mm
Rth,F	0.87 K/W
Rth,N	2.58 K/W
H	33 mm

CODE DE48_33




Kg/mt	1.45 Kg/mt
L	48 mm
H	33 mm
Rth,F	1.990 K/W
Rth,N	5.90 K/W
Alloy	6061

CODE DE48_40




Kg/mt	2.45 Kg/mt
L	48 mm
H	40 mm
Rth,F	1.240 K/W
Rth,N	3.70 K/W
Alloy	6061

CODE DE50_24




Kg/mt	1.03 Kg/mt
L	50 mm
H	2.750 K/W
Rth,F	8.30 K/W
Rth,N	24 mm
Alloy	6061

CODE DE50_28




Kg/mt	1.65 Kg/mt
L	50 mm
H	28 mm
Rth,F	2.410 K/W
Rth,N	7.20 K/W
Alloy	6061

CODE DE52_20




Kg/mt	0.73 Kg/mt
L	52 mm
H	0.259 K/W
Rth,F	6.75 K/W
Rth,N	20 mm
Alloy	6061

CODE DE52_40




Kg/mt	2.79 Kg/mt
L	52 mm
H	40 mm
Rth,F	1.050 K/W
Rth,N	3.10 K/W
Alloy	6061

CODE DE54_38




Kg/mt	2.20 Kg/mt
L	54 mm
H	38 mm
Rth,F	4.50 K/W
Rth,N	4.50 K/W
Alloy	6061

CODE DE60_24




Kg/mt	1.22 Kg/mt
L	60 mm
H	2.210 K/W
Rth,F	6.03 K/W
Rth,N	24 mm
Alloy	6061

CODE DE65_19.5




Kg/mt	1.25 Kg/mt
L	65 mm
H	1.989 K/W
Rth,F	5.85 K/W
Rth,N	19.50 mm
Alloy	6061

CODE DE66_30




Kg/mt	1,742 Kg/mt
L	66 mm
Rth,F	0,99 K/W
Rth,N	2,9 K/W
H	30 mm

CODE DE66_33




Kg/mt	2.43 Kg/mt
L	66 mm
H	33 mm
Rth,F	1.480 K/W
Rth,N	4.40 K/W
Alloy	6061

CODE DE66_40




Kg/mt	3.47 Kg/mt
L	66 mm
H	40 mm
Rth,F	0.990 K/W
Rth,N	3.10 K/W
Alloy	6061

CODE DE68_90




Kg/mt	8.66 Kg/mt
L	68 mm
H	90 mm
Rth,F	0.411 K/W
Rth,N	1.22 K/W

CODE DE70_132




Kg/mt	13.22 Kg/mt
L	70 mm
H	132 mm
Rth,F	0.830 K/W
Rth,N	2.25 K/W
Alloy	6061

CODE DE80_14




Kg/mt	1.18 Kg/mt
L	80 mm
H	14 mm
Rth,F	1.395 K/W
Rth,N	4.05 K/W
Alloy	6061

CODE DE80_24




Kg/mt	1.72 Kg/mt
L	80 mm
H	24 mm
Rth,F	1.830 K/W
Rth,N	5.40 K/W
Alloy	6061


CODE DE82_32




Kg/mt	2.99 Kg/mt
L	82 mm
H	32 mm
Rth,F	0.670 K/W
Rth,N	2.60 K/W
Alloy	6061

CODE DE84_14


Kg/mt	1,95 Kg/mt
L	80 mm
Rth,F	3,45 K/W
Rth,N	10,2 K/W
H	14 mm
Alloy	6060

CODE DE88_35


Kg/mt	2,80 Kg/mt
L	88 mm
H	35 mm
Rth,F	1,395 K/W
Rth,N	4,05 K/W
Alloy	6061

CODE DE90_29.5


Kg/mt	1,86 Kg/mt
L	90 mm
H	29,50 mm
Rth,F	1,650 K/W
Rth,N	4,90 K/W
Alloy	6061

CODE DE94_14_A

Kg/mt	1,64 Kg/mt
L	94 mm
H	14,50 mm
Rth,F	1,629 K/W
Rth,N	4,86 K/W
Alloy	6061


CODE DE95_70

Kg/mt	7,25 Kg/mt
L	95 mm
H	70 mm
Rth,F	0,580 K/W
Rth,N	1,70 K/W
Alloy	6061

CODE DE96.5_25


Kg/mt	3,934 Kg/mt
L	96,5 mm
H	25 mm
Rth,F	0,594 K/W
Rth,N	1,78 K/W

CODE DE97_25.5




Kg/mt	3.40 Kg/mt
L	97 mm
H	25.5 mm
Rth,F	0.423 K/W
Rth,N	1.25 K/W
Alloy	6061

CODE DE100_15




Kg/mt	2.16 Kg/mt
L	100 mm
H	15 mm
Rth,F	1.020 K/W
Rth,N	3.10 K/W
Alloy	6061

CODE DE100_25




Kg/mt	2.66 Kg/mt
L	100 mm
H	25 mm
Rth,F	0.484 K/W
Rth,N	1.43 K/W
Alloy	6061

CODE DE100_40




Kg/mt	5.12 Kg/mt
L	100 mm
H	40 mm
Rth,F	1.19 K/W
Rth,N	4.0 K/W
Alloy	6061

CODE DE100_50




Kg/mt	4.90 Kg/mt
L	100 mm
H	50 mm
Rth,F	1.125 K/W
Rth,N	3.24 K/W
Alloy	6061

CODE DE100_95.2




Kg/mt	8.548 Kg/mt
L	100 mm
H	95.2 mm
Rth,F	0.47 K/W
Rth,N	1.4 K/W
Alloy	6061

CODE DE100_120




Kg/mt	15.64 Kg/mt
L	100 mm
H	120 mm
Rth,F	0.790 K/W
Rth,N	2.30 K/W
Alloy	6061

CODE DE105_38




Kg/mt	2.83 Kg/mt
L	105 mm
H	38 mm
Rth,F	1.210 K/W
Rth,N	3.60 K/W
Alloy	6061

CODE DE112_72




Kg/mt	9.81 Kg/mt
L	112 mm
H	72 mm
Rth,F	0.590 K/W
Rth,N	1.62 K/W
Alloy	6061

CODE DE113_37




Kg/mt	3.43 Kg/mt
L	113 mm
H	37 mm
Rth,F	0.790 K/W
Rth,N	2.30 K/W
Alloy	6061

CODE DE115_33




Kg/mt	3.83 Kg/mt
L	115 mm
H	33.50 mm
Rth,F	0.880 K/W
Rth,N	2.43 K/W
Alloy	6061

CODE DE115_80




Kg/mt	9.52 Kg/mt
L	115 mm
H	80 mm
Rth,F	0.510 K/W
Rth,N	1.50 K/W
Alloy	6061

CODE DE120_40




Kg/mt	6.70 Kg/mt
L	120 mm
H	40 mm
Rth,F	0.620 K/W
Rth,N	1.71 K/W
Alloy	6061

CODE DE120_40_A




Kg/mt	6.51 Kg/mt
L	120 mm
H	40 mm
Rth,F	0.610 K/W
Rth,N	1.71 K/W
Alloy	6061

CODE DE120_60




Kg/mt	8.37 Kg/mt
L	120 mm
H	60 mm
Rth,F	0.580 K/W
Rth,N	1.70 K/W
Alloy	6061

CODE DE120_60_B




Kg/mt	7.29 Kg/mt
L	120 mm
H	60 mm
Rth,F	0.560 K/W
Rth,N	1.70 K/W
Alloy	6061

CODE DE120_63




Kg/mt	8.39 Kg/mt
L	120 mm
H	63 mm
Rth,F	0.540 K/W
Rth,N	60 K/W
Alloy	6061


CODE DE120_64




Kg/mt	4.97 Kg/mt
L	120 mm
H	64 mm
Rth,F	1.010 K/W
Rth,N	2.79 K/W
Alloy	6061

CODE DE120_70


Kg/mt	8.96 Kg/mt
L	120 mm
H	70 mm
Rth,F	0.410 K/W
Rth,N	1.20 K/W
Alloy	6061

CODE DE120_120


Kg/mt	11.19 Kg/mt
L	120 mm
H	120 mm
Rth,F	0.251 K/W
Rth,N	0.74 K/W
Alloy	6061

CODE DE121_58.5


Kg/mt	7.13 Kg/mt
L	121 mm
H	58.50 mm
Rth,F	0.580 K/W
Rth,N	1.70 K/W
Alloy	6061

CODE DE125_76

Kg/mt	7.081 Kg/mt
L	125 mm
H	76 mm
Rth,F	0.275 K/W
Rth,N	0.84 K/W
Alloy	6061


CODE DE125_125

Kg/mt	15.53 Kg/mt
L	125 mm
H	125 mm
Rth,F	0.390 K/W
Rth,N	1.08 K/W
Alloy	6061

CODE DE125_135_A


Kg/mt	17.61 Kg/mt
L	125 mm
H	135 mm
Rth,F	0.168 K/W
Rth,N	0.50 K/W
Alloy	6061

CODE DE125_135_B




Kg/mt	17.9 Kg/mt
L	125 mm
H	135 mm
Rth,F	0.38 K/W
Rth,N	1.10 K/W
Alloy	6061

CODE DE126_63.5




Kg/mt	8.21 Kg/mt
L	126 mm
H	63.5 mm
Rth,F	0.549 K/W
Rth,N	1.62 K/W
Alloy	6061

CODE DE128_57




Kg/mt	5.95 Kg/mt
L	128 mm
H	57 mm
Rth,F	0.522 K/W
Rth,N	1.53 K/W
Alloy	6061

CODE DE130_52




Kg/mt	11.18 Kg/mt
L	130 mm
H	52 mm
Rth,F	1.75 K/W
Rth,N	52 mm
Alloy	6061

CODE DE130_84




Kg/mt	13.44 Kg/mt
L	130 mm
H	84 mm
Rth,F	0.470 K/W
Rth,N	1.26 K/W
Alloy	6061

CODE DE130_130




Kg/mt	12.26 Kg/mt
L	130 mm
H	130 mm
Rth,F	0.680 K/W
Rth,N	1.89 K/W
Alloy	6061

CODE DE135_25




Kg/mt	3.25 Kg/mt
L	135 mm
H	25 mm
Rth,F	0.650 K/W
Rth,N	1.90 K/W
Alloy	6061

CODE DE135_135.5




Kg/mt	21.9 Kg/mt
L	135 mm
H	135.5 mm
Rth,F	0.18 K/W
Rth,N	0.81 K/W
Alloy	6061

CODE DE138_40




Kg/mt	7.29 Kg/mt
L	138 mm
H	40 mm
Rth,F	0.650 K/W
Rth,N	1.90 K/W
Alloy	6061

CODE DE138_50.5




Kg/mt	7.55 Kg/mt
L	138 mm
H	50.5 mm
Rth,F	0.51 K/W
Rth,N	1.50 K/W
Alloy	6061

CODE DE138_62




Kg/mt	10.15 Kg/mt
L	138 mm
H	62 mm
Rth,F	2.75 K/W
Rth,N	1.69 K/W
Alloy	6060

CODE DE140_26




Kg/mt	4.90 Kg/mt
L	100 mm
H	50 mm
Rth,F	1.125 K/W
Rth,N	3.24 K/W
Alloy	6061

CODE DE140_90



Kg/mt	15.23 Kg/mt
L	140 mm
H	90 mm
Rth,F	0.459 K/W
Rth,N	1.35 K/W
Alloy	6061

CODE DE142_120




Kg/mt	19.50 Kg/mt
L	142 mm
H	119.5 mm
Rth,F	0.380 K/W
Rth,N	1.08 K/W
Alloy	6061

CODE DE149.5_9.2




Kg/mt	2.306 Kg/mt
L	149.5 mm
H	9.2 mm
Rth,F	0.58 K/W
Rth,N	1.7 K/W
Alloy	6061

CODE DE150_27_AF




Kg/mt	5.29 Kg/mt
L	150 mm
H	27 mm
Rth,F	0.513 K/W
Rth,N	1.53 K/W
Alloy	6061

CODE DE150_27




Kg/mt	5.17 Kg/mt
L	150 mm
H	27 mm
Rth,F	0.522 K/W
Rth,N	1.53 K/W
Alloy	6061

CODE DE150_27_A




Kg/mt	5.27 Kg/mt
L	150 mm
H	27 mm
Rth,F	0.513 K/W
Rth,N	1.53 K/W
Alloy	6061

CODE DE150_40



Kg/mt	7.42 Kg/mt
L	150 mm
H	40 mm
Rth,F	0.299 K/W
Rth,N	0.68 K/W
Alloy	6061

CODE DE150_50




Kg/mt	9.58 Kg/mt
L	150 mm
H	50 mm
Rth,F	0.580 K/W
Rth,N	1.70 K/W
Alloy	6061

CODE DE150_62




Kg/mt	12.33 Kg/mt
L	150 mm
H	62 mm
Rth,F	0.252 K/W
Rth,N	0.73 K/W
Alloy	6061

CODE DE150_72




Kg/mt	8.934 Kg/mt
L	150 mm
H	72 mm
Rth,F	0.69 K/W
Rth,N	1.89 K/W
Alloy	6061

CODE DE150_83




Kg/mt	12.33 Kg/mt
L	150 mm
H	83 mm
Rth,F	0.460 K/W
Rth,N	1.26 K/W
Alloy	6061

CODE DE115_35




Kg/mt	2.15 Kg/mt
L	115 mm
H	35 mm
Rth,F	1.350 K/W
Rth,N	3.69 K/W
Alloy	6061

CODE DE160_40




Kg/mt	8.64 Kg/mt
L	160 mm
H	40 mm
Rth,F	0.281 K/W
Rth,N	0.64 K/W
Alloy	6061

CODE DE160_50




Kg/mt	8.86 Kg/mt
L	160 mm
H	50 mm
Rth,F	0.459 K/W
Rth,N	1.35 K/W
Alloy	6061

CODE DE162_25




Kg/mt	5.23 Kg/mt
L	162 mm
H	25 mm
Rth,F	0.531 K/W
Rth,N	1.62 K/W
Alloy	6061

CODE DE164_93.5




Kg/mt	19 Kg/mt
L	164 mm
H	93.5 mm
Rth,F	0.405 K/W
Rth,N	1.17 K/W
Alloy	6061

CODE DE173_28




Kg/mt	4.22 Kg/mt
L	173 mm
H	28 mm
Rth,F	0.369 K/W
Rth,N	1.08 K/W
Alloy	6061

CODE DE178_80




Kg/mt	12.782 Kg/mt
L	178 mm
H	80 mm
Rth,F	0.370 K/W
Rth,N	1.08 K/W
Alloy	6061

CODE DE180_80




Kg/mt	12.78 Kg/mt
L	180 mm
H	80 mm
Rth,F	0.378 K/W
Rth,N	1.17 K/W
Alloy	6061

CODE DE188_30




Kg/mt	7.36 Kg/mt
L	188 mm
H	30 mm
Rth,F	0.531 K/W
Rth,N	1.62 K/W
Alloy	6061

CODE DE190.5_83




Kg/mt	14.83 Kg/mt
L	190.5 mm
H	83 mm
Rth,F	0.369 K/W
Rth,N	.08 K/W
Alloy	6061

CODE DE190.5_83_A




Kg/mt	14.75 Kg/mt
L	190.5 mm
H	83 mm
Rth,F	0.410 K/W
Rth,N	1.20 K/W
Alloy	6061

CODE DE190_50.1




Kg/mt	6.799 Kg/mt
L	190 mm
H	50.1 mm
Rth,F	0.45 K/W
Rth,N	1.26 K/W
Alloy	6061

CODE DE197_20




Kg/mt	5.64 Kg/mt
L	197 mm
H	20 mm
Rth,F	0.242 K/W
Rth,N	0.72 K/W
Alloy	6061

CODE DE200_84




Kg/mt	17.74 Kg/mt
L	200 mm
H	84 mm
Rth,F	0.279 K/W
Rth,N	0.90 K/W
Alloy	6061

CODE DE200_15




Kg/mt	3.90 Kg/mt
L	200 mm
H	15 mm
Rth,F	0.621 K/W
Rth,N	1.89 K/W
Alloy	6061

CODE DE200_25




Kg/mt	5.38 Kg/mt
L	200 mm
H	25 mm
Rth,F	0.477 K/W
Rth,N	1.50 K/W
Alloy	6061

CODE DE200_40




Kg/mt	9.72 Kg/mt
L	200 mm
H	40 mm
Rth,F	0.154 K/W
Rth,N	0.46 K/W
Alloy	6061

CODE DE200_60




Kg/mt	15.16 Kg/mt
L	200 mm
H	60 mm
Rth,F	0.121 K/W
Rth,N	0.36 K/W
Alloy	6061

CODE DE200_72




Kg/mt	14.53 Kg/mt
L	200 mm
H	72 mm
Rth,F	0.130 K/W
Rth,N	0.38 K/W
Alloy	6061

CODE DE200_83




Kg/mt	19.9 Kg/mt
L	200 mm
H	83 mm
Rth,F	0.119 K/W
Rth,N	0.35 K/W
Alloy	6061

CODE DE200_84



Kg/mt	17.74 Kg/mt
L	200 mm
H	84 mm
Rth,F	0.279 K/W
Rth,N	0.90 K/W
Alloy	6061

CODE DE200_86




Kg/mt	19.17 Kg/mt
L	200 mm
H	86 mm
Rth,F	1.17 K/W
Rth,N	1.20 K/W
Alloy	6061

CODE DE210_70




Kg/mt	19.99 Kg/mt
L	210 mm
H	68 mm
Rth,F	0.369 K/W
Rth,N	1.08 K/W
Alloy	6061

CODE DE215_77



Kg/mt	22.15 Kg/mt
L	215 mm
H	77 mm
Rth,F	0.330 K/W
Rth,N	0.88 K/W
Alloy	6061

CODE DE215_77




Kg/mt	19.80 Kg/mt
L	215 mm
H	77 mm
Rth,F	0.279 K/W
Rth,N	0.81 K/W
Alloy	6061

CODE DE216_77




Kg/mt	24 Kg/mt
L	216 mm
H	77 mm
Rth,F	0.297 K/W
Rth,N	0.88 K/W
Alloy	6061

CODE DE216_83



Kg/mt	18.06 Kg/mt
L	216 mm
H	83 mm
Rth,F	0.324 K/W
Rth,N	0.99 K/W
Alloy	6061

CODE DE220_46.5




Kg/mt	11.27 Kg/mt
L	220 mm
H	46.5 mm
Rth,F	0.378 K/W
Rth,N	1.17 K/W
Alloy	6061

CODE DE220_60




Kg/mt	16.719 Kg/mt
L	220 mm
H	60 mm
Rth,F	0.36 K/W
Rth,N	0.39 K/W
Alloy	6061

CODE DE220_77




Kg/mt	17.54 Kg/mt
L	220 mm
H	77 mm
Rth,F	0.351 K/W
Rth,N	1.08 K/W
Alloy	6061


CODE DE226_80




Kg/mt	23.74 Kg/mt
L	226 mm
H	80 mm
Rth,F	0.369 K/W
Rth,N	1.08 K/W
Alloy	6061

CODE DE228_32.2


Kg/mt	8.132 Kg/mt
L	228 mm
H	32.2 mm
Rth,F	0.150 K/W
Rth,N	0.43 K/W
Alloy	6061

CODE DE235_60


Kg/mt	14.893 Kg/mt
L	235 mm
H	60 mm
Rth,F	0.310 K/W
Rth,N	0.9 K/W
Alloy	6061

CODE DE240_16

Kg/mt	5.57 Kg/mt
L	240 mm
H	16 mm
Rth,F	0.531 K/W
Rth,N	1.62 K/W
Alloy	6061

CODE DE240_108_A

Kg/mt	25.056 Kg/mt
L	240mm
H	108 mm
Rth,F	0.324 K/W
Rth,N	0.99 K/W
Alloy	6061

CODE DE240_108_B

Kg/mt	26.101 Kg/mt
L	240mm
H	108 mm
Rth,F	0.324 K/W
Rth,N	0.99 K/W
Alloy	6061

CODE DE240_112


Kg/mt	29.824 Kg/mt
L	240mm
H	112 mm
Rth,F	0.345 K/W
Rth,N	1.05 K/W
Alloy	6061

CODE DE245.6



Kg/mt	6.39 Kg/mt
L	245.6 mm
H	0.423 K/W
Rth,F	1.26 K/W
Rth,N	25 mm
Alloy	6061

CODE DE249_75.6




Kg/mt	15.841 Kg/mt
L	249 mm
H	75.6 mm
Rth,F	0.082 K/W
Rth,N	0.28 K/W
Alloy	6061

CODE DE250_40.5




Kg/mt	10.97 Kg/mt
L	250 mm
H	40.50 mm
Rth,F	0.390 K/W
Rth,N	1.08 K/W
Alloy	6061

CODE DE250_40




Kg/mt	11.94 Kg/mt
L	250 mm
H	40 mm
Rth,F	0.333 K/W
Rth,N	0.99 K/W
Alloy	6061

CODE DE250_40_A




Kg/mt	9.66 Kg/mt
L	250 mm
H	40 mm
Rth,F	0.390 K/W
Rth,N	1.08 K/W
Alloy	6061

CODE DE250_40_D




Kg/mt	13.22 Kg/mt
L	250 mm
H	40 mm
Rth,F	0.430 K/W
Rth,N	1.30 K/W
Alloy	6061

CODE DE250_83




Kg/mt	24.68 Kg/mt
L	250 mm
H	83 mm
Rth,F	0.310 K/W
Rth,N	0.90 K/W
Alloy	6061

CODE DE260_67.5




Kg/mt	20.68 Kg/mt
L	260 mm
H	67.50 mm
Rth,F	0.290 K/W
Rth,N	0.81 K/W
Alloy	6061

CODE DE260_67.5_A




Kg/mt	18.18 Kg/mt
L	260 mm
H	67.50 mm
Rth,F	0.279 K/W
Rth,N	0.90 K/W
Alloy	6061

CODE DE265_74




Kg/mt	24.92 Kg/mt
L	265 mm
H	74 mm
Rth,F	0.297 K/W
Rth,N	0.88 K/W
Alloy	6061

CODE DE265_74_A




Kg/mt	24.13 Kg/mt
L	265 mm
H	74 mm
Rth,F	0.330 K/W
Rth,N	0.88 K/W
Alloy	6061

CODE DE270_73




Kg/mt	18.74 Kg/mt
L	270 mm
H	73 mm
Rth,F	0.350 K/W
Rth,N	0.99 K/W
Alloy	6061

CODE DE290_85




Kg/mt	25.40 Kg/mt
L	290 mm
H	0.279 K/W
Rth,F	0.81 K/W
Rth,N	85 mm
Alloy	6061

CODE DE300_25_A



Kg/mt	9.022 Kg/mt
L	300 mm
H	25 mm
Rth,F	0.398 K/W
Rth,N	1.28 K/W
Alloy	6061

CODE DE300_25_B




Kg/mt	9.01 Kg/mt
L	300 mm
H	25 mm
Rth,F	0.121 K/W
Rth,N	0.36 K/W
Alloy	6061

CODE DE300_27




Kg/mt	11.90 Kg/mt
L	300 mm
H	27 mm
Rth,F	0.390 K/W
Rth,N	1.08 K/W
Alloy	6061

CODE DE300_36



Kg/mt	11.285 Kg/mt
L	300 mm
H	36 mm
Rth,F	0.279 K/W
Rth,N	0.81 K/W
Alloy	6061

CODE DE300_40




Kg/mt	13.02 Kg/mt
L	300 mm
H	40 mm
Rth,F	0.342 K/W
Rth,N	1.10 K/W
Alloy	6061

CODE DE300_40_A


Kg/mt	15.80 Kg/mt
L	300 mm
H	40 mm
Rth,F	0.351 K/W
Rth,N	1.08 K/W
Alloy	6061

CODE DE300_40_B


Kg/mt	14.35 Kg/mt
L	300 mm
H	40 mm
Rth,F	0.288 K/W
Rth,N	0.88 K/W
Alloy	6061

CODE DE300_60


Kg/mt	20.53 Kg/mt
L	300 mm
H	60 mm
Rth,F	0.279 K/W
Rth,N	0.81 K/W
Alloy	6061

CODE DE300_70.4

Kg/mt	18.77 Kg/mt
L	300 mm
H	70.4 mm
Rth,F	0.279 K/W
Rth,N	0.90 K/W
Alloy	6061


CODE DE300_83_A

Kg/mt	23.07 Kg/mt
L	300 mm
H	83 mm
Rth,F	0.261 K/W
Rth,N	0.81 K/W
Alloy	6061

CODE DE300_84_C


Kg/mt	24.99 Kg/mt
L	300 mm
H	84.50 mm
Rth,F	0.250 K/W
Rth,N	0.72 K/W
Alloy	6061

CODE DE300_84




Kg/mt	28.44 Kg/mt
L	300 mm
H	84 mm
Rth,F	0.280 K/W
Rth,N	0.81 K/W
Alloy	6061

CODE DE300_84_A




Kg/mt	26.64 Kg/mt
L	300 mm
H	84 mm
Rth,F	0.230 K/W
Rth,N	0.63 K/W
Alloy	6061

CODE DE300_84_C




Kg/mt	24.99 Kg/mt
L	300 mm
H	84.50 mm
Rth,F	0.250 K/W
Rth,N	0.72 K/W
Alloy	6061

CODE DE315_72.7_A




Kg/mt	19.217 Kg/mt
L	315 mm
H	72.7 mm
Rth,F	0.23 K/W
Rth,N	0.63 K/W
Alloy	6061

CODE DE315_72.7_B




Kg/mt	15.466 Kg/mt
L	315 mm
H	72.7 mm
Rth,F	0.348 K/W
Rth,N	1.10 K/W
Alloy	6061

CODE DE345_61.5



Kg/mt	20.07 Kg/mt
L	345 mm
H	61.5 mm
Rth,F	0.290 K/W
Rth,N	0.81 K/W
Alloy	6061

CODE DE362_35

Kg/mt 11.13 Kg/mt


L 362 mm

H 35 mm

Rth,F 0.342 K/W

Rth,N 0.99 K/W

Alloy 6061

CODE DE380_60_E

Kg/mt 18.35 Kg/mt


L 380 mm

H 60 mm

Rth,F 0.243 K/W

Rth,N 0.72 K/W

Alloy 6061

CODE DE400_40

Kg/mt 21.44 Kg/mt


L 400 mm

H 40 mm

Rth,F 0.279 K/W

Rth,N 0.81 K/W

Alloy 6061

CODE DE400_61

Kg/mt 22.35 Kg/mt

L 400 mm

H 0.290 K/W

Rth,F 0.81 K/W

Rth,N 61 mm

Alloy 6061

CODE DE470_83

Kg/mt 25.60 Kg/mt

L 470 mm

H 83 mm

Rth,F 0.087 K/W

Rth,N 0.23 K/W

Alloy 6061